Sediment Quality Objectives for California Bays and Estuaries

Pesticide Registration and Evaluation Committee November 21, 2008

Chris Beegan State Water Resources Control Board cbeegan@waterboards.ca.gov 916 341 5577

Presentation


- Sediment Quality Objectives
- Conceptual Approach
- Phase I Summary
- Phase II Summary
- Preliminary Results Delta Sampling
 Future Activities and Contact information


Sediment Quality Objectives

- A Standard for Sediment Quality...that is a means to differentiate sediment impacted by bioavailable toxic pollutants from those that are not
- Legally no different than a Water Quality Objective
- But.....very difficult to develop
 - There are no state wide sediment quality objectives in the Country
- Applicable to enclosed bays and estuaries only
 - Not applicable to ocean waters
 - Not applicable to inland surface waters

Conceptual Approach

- No single tool can reliably predict whether pollutants in sediment may pose a risk or not
- Applying multiple tools can <u>reliably predict</u> sediment quality
 - Multiple Lines of Evidence Approach or Sediment Quality Triad.
 - Rarely applied within a regulatory framework. Typically applied using best professional judgment





Phase I Overview

Direct Effects

- Narrative SQO: Pollutants in sediments shall not be present in quantities that, alone or in combination, are toxic to benthic communities in bays and estuaries of California.
- Receptor: Benthic Communities
- Exposure: Direct contact
- Indicators
 - Sediment toxicity, chemistry and benthic community condition
- Interpretation:
 - Tools and methodology to classify sediments at individual and multiple stations in marine SF bay and SCB bays
 Interim approach for estuaries and other bays*

Phase I Overview

Indirect Effects

- Narrative SQO: Pollutants shall not be present in sediments at levels that will bioaccumulate in aquatic life to levels that are harmful to human health
- Receptor: Human Health risk via consumption of fish and shellfish
- Exposure: Indirect exposure to contaminants in sediment primarily through the food chain
- Habitats: Enclosed Bays and Estuaries
- Interpretation: Non-specific, relies upon existing approaches


Phase I Overview

- Status of Regulatory Provisions
 - Water Quality Control Plan for Enclosed Bays and Estuaries Part 1 Sediment Quality was re-adopted September 16, 2008
 - Administrative Record submitted to Office of Administrative Law in November.
 - Final approval required by EPA Region IX
- Phase I SQOs will not become effective until OAL approves the Regulatory Record and EPA approves the standards.

Contents of Part 1 Sediment Quality

- I. Intent and Summary
 - A. Intent of Part 1 of the Water Quality Control Plan for Enclosed Bays and Estuaries (Part 1)
 - B. Summary of Part 1
- II. Use and Applicability of SQOs
 - A. Ambient Sediment Quality
 - B. Relationship to other narrative objectives
 - C. Applicable Waters
 - D. Applicable Sediments
 - E. Applicable Discharges
- III. Beneficial Uses
- IV. Sediment Quality Objectives Narratives
 - A. Aquatic Life Benthic Community Protection
 - 3. Human Health

Contents Continued VII. PROGRAM OF IMPLEMENTATION A. Dredge Materials B. NPDES Receiving Water and Effluent Limits C. Exceedance of Receiving Water Limit D. Receiving Water Limits Monitoring Frequency E. Sediment Monitoring F. Stressor Identification G. Development of Site-Specific Management Guidelines VIII. GLOSSARY




SQOs and Interpretation


LOE CATEGORY COMBINATION	SEDIMENT CHEMISTRY EXPOSURE	BENTHIC COMMUNITY CONDITION	SEDIMENT TOXICITY	STATION ASSESSMENT
1	Minimal	Reference	Nontoxic	Unimpacted
14	Minimal	High	Low	Inconclusive
29	Low	High	Nontoxic	Likely Unimpacted
38	Moderate	Low	Low	Possibly Impacted
58	High	Moderate	Low	Likely Impacted
59	High	Moderate	Moderate	Clearly Impacted


SQOs and Interpretation


Station Assessment categories

- Unimpacted U
- Likely Unimpacted LU
- Possibly Impacted PI
- Likely Impacted L
- Clearly Impacted Cl
- Inconclusive









Phase II Goals

Direct Effects

- Develop chemistry, sediment toxicity, and benthic community tools for the Delta to support the narrative SQO protecting benthic communities
- Develop tools for other water bodies where data is available

Indirect Effects

 Develop a standard means to interpret the narrative SQO protecting human health from consumption of shellfish and fish tissue containing contaminants that migrated from sediment up through the food chain.

Phase II Status

Direct Effects

- Delta sampling with DWR in Fall 2007, Spring 2008
- Data: Preliminary chemistry and sediment toxicity data available only awaiting benthic community data*
- Indicator Approach: Conceptual approach expected to be similar to that used in Phase I

Indirect Effects

- Evaluate alternative approaches for interpreting the indirect effects SQO
 - Multi-tiered risk assessment high complexity
 - Relative risk ranking intermediate
 - Stepwise decision tree Low complexity

Phase II Status

- July 2008 Scientific Steering Committee Meeting
 - Expanded Panel: Peter Landrum, Todd Bridges, Rob Burgess, Donna Vorhees, Jim Shine, Bruce Hope, Charlie Menzie
- SSC Recommendations
 - First priority: address sediment contamination in framework, acknowledging that tissue residues may be related to other sources or waters.
 - Support a tiered approach with flexibility to include multiple on-ramps/off-ramps
 - Use food web models with BSAFs.
 - Develop case studies highlighting different types of applications.

Phase II Plans

- Indirect Effects Technical Work Elements
 - Revise Technical Workplan
 - Refine multi-tiered conceptual framework
 - Develop a modeling and decision-support tool appropriate for performing the Tier 1 and 2 phases of the SQO evaluation
 - Develop general technical guidance for performing indirect effects SQO evaluations
 - Perform "case studies" to evaluate technical and feasibility issues
 - Work on integrating Phase II SQOs with exiting Water Board programs

Delta Sampling






Delta Analytes


- Sediment toxicity tests
 Hyallella azteca growth and survival
 Chironomus dilutus growth and survival
 Benthic Community Analysis
- Sediment Chemistry including:
 - MetalsPAHs


 - CyclopentadienesChlordanesDDTs


 - DDTS
 PCBs cogeners
 Bifenthrin, Cyfluthrin, Beta-Cyfluthrin, Cypermethrin, S-Cypermethrin, Delta/Tralomethrin, Esfenvalerate, enpropathrin, G-Cyhalothrin, L-Cyhalothrin, Permethrin and Piperonyl butoxide
 - Chlorpyrifos, Carbaryl, Fipronil, Fipronil degradates
 HCH


 - Hexachlorobenzene, Mirex, Diuron, DCPA, Metolachlor, Trifluralin




















Delta Summary

- A work in progress
 - First comprehensive examination of Delta sediment quality

 - Analyses still underway
 Limited spatial and temporal extent
 Results will complement SQO and other programs
- Results to date indicate that sediment contamination is widespread, but relatively low
 - Mixture of historic and current activities
- Little short-term toxicity
 Low prevalence of mortality and growth effects
 Difficult to associate toxicity with sediment chemistry
- Benthic community status uncertain
 Development of benthic indices needed

 - Priority for SQO program

Future Activities

- Phase II
 - Develop a revised workplan for indirect effects
 - Await benthic community data for delta sampling
 - Begin working with Agency Coordination Committee (Regional Boards, DPR, DFG, OEHHA, DTSC, EPA, NOAA, USF&W) and Advisory Committees (Stakeholders) on SQO policy issues

More Information

- Email/Phone
 - Chris Beegan cbeegan@waterboards.ca.gov 916 341 5577
 - Steve Bay Steveb@sccwrp.org. 714 755 3204
- Electronic Subscriptions
 - http://www.waterboards.ca.gov/
 - Lower right "email subscriptions"
 - Click subscribe
 - Click on sediment quality objectives